



PINNACLE

PINNACLE HELMET RANGE BY ZERO®

ZERO®

zeroheightsafety.com

Reimagine your boundaries;
we'll get you there.

**We innovate because you need
equipment to match your performance.**

ZERO® helmets are so comfortable they allow you to do your best. The only helmet you'll need to the job done and customised to fit your unique style, needs and specifications no matter what jobs the day holds.

ZERO® helmets are the outcome of 25 years experience in height safety and fall protection. We know what it takes to work at heights, to minimise the impact of falls and enable our customers to do their best work.





RECOGNISING THE NEED FOR IMPROVED SAFETY

At ZERO®, we recognize the need for change to improve the safety of those who carry out work in challenging environments. We believe that zero tolerance is essential to the fall protection and safety industry, simply because our lives depend on it.

For the last 20 years ZERO® has been at the forefront of height safety throughout Australasia. Our equipment is the result of extensive global research, innovation and design. At the forefront of our development was the search for a helmet that provides complete protection in an industrial environment.



CELEBRATING OVER 20 YEARS

ZERO® Height Safety is 100% New Zealand owned & operated. Celebrating 20 years of market leadership in fall protection solutions.



SAFETY CERTIFIED

The materials used to manufacture our product are largely made in the European Union: fabric, webbing, bias, rope-lines, thread, reinforcements.

[ZEROHEIGHTSAFETY.COM](https://www.zeroheightsafety.com)

OK, YOU'RE SPENDING
€90 ON FOOT PROTECTION
PER PERSON A YEAR.

IS €9 REALLY ENOUGH TO PROTECT YOUR HEAD?

Safety footwear technology is now considered a tool for your feet helping to combat workplace hazards, discomfort, and fatigue.

We have an abundance of manufacturers introducing new boots into the market offering the latest in comfort, durability and safety with a price point to match.

Are we putting the same focus on the requirement for comfortable, durable head protection that is fit for purpose?

HYBRID
INDUSTRIAL AND MOUNTAINEERING HEAD PROTECTION

To actively control the risk of suffering a traumatic brain injury from falling, it is essential that the correct head protection is worn. If we look at the capability of a standard industrial hard hats, they are simply designed to protect you from a dropped object. If you become the falling object, we must take more action to mitigate the risk of serious head injuries. This can be achieved by wearing head protection that is impact tested across multiple parts of the helmet to provide all-round protection. A multi-impact rated helmet is the only effective way to minimize the risk of serious head trauma.



ZERO[®]



SAFETY CERTIFIED

All ZERO PPE equipment has been manufactured and tested to meet international standards by independent production facilities and ZERO®.

Where a Standard exists, all ZERO products made in the EU, UK, USA, Australia, New Zealand and any other country are manufactured to meet the ZERO® quality certifications and performance requirements of those various International and internal product Standards including EN, ANSI, AS/NZS and those standards noted above.

The products are manufactured by ZERO® to meet or exceed the minimum performance requirements of the noted Safety Standards. Copies of test certificates are available.



DAMAGE CONTROL SYSTEM



TUBULAR CRUMPLE ZONES
ABSORB MORE ENERGY


Tubular cells crumple systematically, absorbing maximum force, therefore decelerating your head more effectively.



LIMITS DANGEROUS MOTION
FOR ANY ANGLE IMPACT

The network of life-protecting cells dynamically activates to control dangerous motion for any angle of impact, on any impact surface.





DIRECT IMPACT

THE ULTIMATE DAMAGE CONTROLS SYSTEM

Koroyd's welded tubes crumple instantly and consistently on impact, absorbing maximum force in a controlled manner, minimising energy transferred to your head.



ANGLED IMPACT

DIRECT AND ANGLLED IMPACT PROTECTION

This unique behaviour helps to protect your skull and brain from direct and angled impacts which may reduce the risk of suffering a life-changing injury.



AIRFLOW

ADVANCED BREATHABILITY & COOLING

Air flows consistently through the open-cells, whilst hot air from your head can easily escape, ensuring more efficient cooling in the most intense conditions.



ULTRALIGHT

PROTECTION NEVER FELT SO LIGHT

Koroyd features the world's thinnest walled tubes, resulting in a structure which is 95% air. This reduces weight and enhances comfort without compromising on safety.



PINNACLE



One Helmet for total head protection

Protect Your Vital Senses & Command Center with Adaptable Configurations For Your Pinnacle Safety Helmet.

Complete Head protection is more than a helmet; Pinnacle offers you accessories to create multiple configurations that will help protect your eyes, hearing, face & skin in the most demanding conditions- while maintaining comfort. Now you can ensure that your total head protection equipment matches the risks of your work environment.



HEADLAMP



VISOR



HEARING PROTECTION



TEXTILE PADDING



HI VIZ STICKERS



VITAL INFORMATION A TAP AWAY

Effortless safety through twICEme

We can't stop accidents from happening but we can make the rescue process smoother. With accessible emergency information, your loved ones' equipment can speak for them when they can't speak for themselves.

New feature release

In the latest #twICEme update, the possibility of storing product-specific information has been added. This information is important, especially within construction and industry, to check the quality and safety of the equipment that our loved ones are wearing.

This is the latest update in the ever-evolving twICEme® concept based on feedback from end customers, rescue professionals, and world-leading brands.



THE SANITIZED HYGIENE FUNCTION

Sustainable, fresh wearing comfort

The integrated Sanitized® hygiene function prevents undesired bacteria from reproducing, thereby preventing unpleasant odors.

The Sanitized® technology reduces and prevents the colonization and multiplication of bacteria, the cause of undesirable odors, through the antimicrobial treatment on various types of material. The antimicrobial Sanitized® treatment offers deep-down protection

Reducing the development of odor

means you can wear the helmet for much longer reducing the need for washes. The padding can be cleaned at low energy-saving temperatures, extending the service life of the helmet.




CLEAR FULL FACE VISOR



CLEAR / SMOKE HALF FACE VISOR



HEADLAMP



REFLECTIVE SHELL STICKERS



HELMET BAG



INNER PADDING



SUN VISOR & NECK PROTECTOR



EAR PROTECTORS





HYBRID

INDUSTRIAL AND MOUNTAINEERING HEAD PROTECTION

ADVANCED HEAD PROTECTION

The Pinnacle Zertec range of helmets are high performance-impact tested with integral koroyd protection, for the ultimate in damage control.

The koroyd engineered internal core is designed to crumple instantly & consistently on impact to absorb maximum force in a controlled manner, to minimize energy transferred to your head. The Zertec's ultralight vented construction creates continuous air channelling through Koroyd's open cells while pushing hot air away from the head to help regulate body temperature.


twICEme makes your vital ICE & medical info easily accessible in an emergency with a tap of a smartphone using NFC*, along with helmet data & serial numbers. *Available late 2021.*

Manufactured in Italy, the stylish & versatile design of the helmet enables multiple configurations of head, vision, face & hearing protection. Pinnacle Visors fit directly to the helmet. Integrated Euro slots for hearing protection & face visor assemblies.

Lightweight construction and anti-bacterial padded inner linings provide unrivalled comfort, with mesh covers over ventilation holes to prevent debris entry into the helmet. The ZERTEC is resistant to lateral deformation.



HEADLAMP




VISOR



HEARING PROTECTION



TEXTILE PADDING



HI VIZ STICKERS

PINNACLE ZERTEC VENTED MULTI-IMPACT TESTED HELMET WITH INTEGRATED KORROYD



PRODUCT FEATURES

- Inside protection with integrated Koroyd Engineered internal core for impact control and air-channelling
- ABS Advanced Thermo Material shell exterior.
- Optional Pinnacle Visors and Arc Flash Shields are available in several styles for added eye & face protection.
- Lightweight and comfortable, just 450gms.
- Paddings remain fresher & hygienic for longer with Sanitized anti-bacterial technology
- Dielectric with no metal parts.
- Washable front & crown padding.
- Attachment loop on chinstrap provided for clipping the helmet to a harness.
- Adjustable retention-type chinstrap, will not release under force of $F > 500N$.
- Headlamp clips are compatible with all headlights with elastic straps.
- One size fits most including larger heads, with quick wheel up/ down adjustable size system, Diameter: 54–62cm, 21.3–24.4 in.
- TwICEme ICE and medical information NFC tag.
- Integrated Euro attachment system for hearing protection and full hearing/face protection configurations.
- Recommended Accessories; Hellberg, Sordin, Princeton Tec & Paulson.



ZPZK01



The ultimate in multi-impact head protection, the Pinnacle Zertec integrates Koroyd's direct & angled impact protection control system. The Zertec's lightweight vented construction creates continuous air channelling through Koroyd's open-cells pushing hot air away from the head to regulate body temperature.

With the integration of twICEme, your vital info is easily accessible in an emergency with a tap of a smartphone using NFC* (available late 2021).

SIZE: 54/62cm

WEIGHT: 445g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior, high-density EPS polystyrene, Integrated Koroyd co-polymer engineered core.

CERTIFICATION:

EN12492:2012; All parts including:
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System)
PR4.2.3 (Chinstrap Retention System Strength <500N)

EN 397:2012+ A1:2012;
LD, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against impacts at low temperatures (-40°C); Protection against impacts at high temperatures (+50°C)





PINNACLE ZERTEC



VENTED MULTI-IMPACT TESTED HELMET WITH INTEGRATED KORROYD & MOLTEN METAL PROTECTION

ZPZK01M



SIZE: 54/62cm

WEIGHT: 460g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior, high-density EPS polystyrene, Integrated Koroyd co-polymer engineered core.

CERTIFICATION:

ANSI/ISEA Z89.1-2014 Type 1, Class C
Shock absorption capacity (cl.4.2.1), Resistance to retention system (cl.4.2.3)

EN 12492:2012 All parts including;
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System
PR4.2.3.(Chinstrap Retention System Strength <500N)

EN 397:2012+A1:2012
LD, MM, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against molten metal splashes (MM);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)



PINNACLE ZERTEC



VOLT RATED MULTI-IMPACT TESTED HELMET WITH INTEGRATED KORROYD

ZPZK02



SIZE: 54/62cm

WEIGHT: 465g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior, high-density EPS polystyrene, Integrated Koroyd co-polymer engineered core.

CERTIFICATION:

ANSI/ISEA Z89.1-2014 Type 1, Class E (20,000 Volts)
EN 12492:2012

PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System)
PR4.2.3.(Chinstrap Retention System Strength <500N)

EN 397:2012+A1:2012
LD, MM, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against molten metal splashes (MM);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)

EN 50365:2002
PR 6.3.4, PR 6.3.5 Class 0, 1500 Vdc, 1000 Vac





PINNACLE ZERTEC HI-VIZ

VENTED MULTI-IMPACT TESTED HELMET WITH INTEGRATED KORROYD & HI-VIZ STICKERS

ZPZK01HV



SIZE: 54/62cm

WEIGHT: 445g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior, high-density EPS polystyrene, Integrated Koroyd co-polymer engineered core.

CERTIFICATION:

EN12492:2012; All parts including;
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System)
PR4.2.3. (Chinstrap Retention System Strength <500N)

EN 397:2012+ A1:2012;
LD, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)



ACCESSORIES

PINNACLE VISORS

- ZPV01 (HALF FACE CLEAR)
- ZPV02 (HALF FACE SMOKE)
- ZPVF01 (FULL FACE CLEAR)
- ZPVF02 (FULL FACE SMOKE)

CERTIFICATION:

EN 166:2001
EN 166:2001 Personal eye protection. Specifications



ZERO HELMET BAG

ZHB



PINNACLE SUN VISOR & NECK PROTECTOR

ZPSNP01FL
(HI-VIZ YELLOW)

ZPSNP01BL
(BLACK)



PINNACLE HI-VIZ HELMET STICKERS

ZPHVS01
(LUMINESCENT REFLECTIVE)



MODEL	CODE	VENTED	INTEGRATED KORROYD	1000 Vac	20,000 V	EN12492	ANSI Z89.1	EN397
PINNACLE ZERTEC VENTED	ZPZK01	•	•			•		•
PINNACLE ZERTEC VOLT RATED	ZPZK02		•	•		•		•
PINNACLE ZERTEC ANSI	ZPEA02		•	•	•	•	•	•



HYBRID

INDUSTRIAL AND MOUNTAINEERING HEAD PROTECTION

INDUSTRIAL PERFORMANCE

The Pinnacle Exo is a multi-impact tested helmet with excellent ventilation, providing airflow through the helmet to keep you fresh & comfortable where warm & humid environments.

Ideal for building & civil construction, tree care, work at heights and scaffolding industries & busy work sites. The EXO range features models that are resistant to molten metal splash and lateral deformation.


Manufactured in Italy, the stylish & versatile design of the helmet enables multiple configurations of head, vision, face & hearing protection. Pinnacle Visors fit directly to the helmet. Integrated Euro slots for hearing protection & face visor assemblies.

Lightweight construction and padded inner linings provide unrivalled comfort, with mesh covers over ventilation holes to prevent debris entry into the helmet.

twICEme makes your vital ICE & medical info easily accessible in an emergency with a tap of a smartphone using NFC*, along with helmet data & serial numbers. *Available late 2021.*



HEADLAMP



VISOR



HEARING PROTECTION




TEXTILE PADDING



HI VIZ STICKERS

PINNACLE EXO

VENTED MULTI-IMPACT TESTED HELMET



HIGH-DENSITY EPS PROTECTION SYSTEM

PRODUCT FEATURES

- ABS Advanced Thermo Material vented shell exterior.
- Optional Pinnacle Visors and Arc Flash Shields are available in several styles for added eye & face protection.
- Lightweight and comfortable, just 410gms.
- Dielectric with no metal parts.
- Washable front & crown padding.
- Attachment loop on chinstrap provided for clipping the helmet to a harness.
- Adjustable retention-type chinstrap, will not release under force of $F > 500N$.
- Headlamp clips are compatible with all headlights with elastic straps.
- One size fits most including larger heads, with quick wheel up/ down adjustable size system, Diameter: 54–62cm, 21.3–24.4 in.
- Integrated Euro attachment system for hearing protection and full hearing/face protection configurations.
- Recommended Accessories; Hellberg, Sordin, Princeton Tec & Paulson.

ZPZK01



The Pinnacle Exo is a multi-impact tested helmet with Molten metal protection, ideal for all types of hot works. Manufactured in Italy, the stylish and versatile design of the Pinnacle Exo integrates slots for cap attached ear protectors and capacity for direct fit visors.

The lightweight construction with padded inner lining and vented shell provides unrivalled comfort. The breathable vented covers provides protection for lateral deformation.

SIZE: 54/62cm

WEIGHT: 410g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior, high-density EPS polystyrene.

CERTIFICATION:

EN12492:2012; All parts including;
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System)
PR4.2.3. (Chinstrap Retention System Strength <500N)

EN 397:2012+ A1:2012
LD, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)





PINNACLE EXO

VENTED MULTI-IMPACT TESTED HELMET WITH
MOLTEN METAL PROTECTION

ZPEA01



SIZE: 54/62cm

WEIGHT: 460g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell
exterior, high-density EPS polystyrene.

CERTIFICATION:

ANSI/ISEA Z89.1-2014
Type 1, Class C

EN 12492: 2012
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention
System), PR4.2.3.(Chinstrap Retention System Strength <500N)

EN 397: 2012 + A1:2012
LD, MM, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against molten metal splashes (MM);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)



PINNACLE EXO

VOLT RATED MULTI-IMPACT TESTED HELMET
WITH INTEGRATED KORROYD

ZPZK02



SIZE: 54/62cm

WEIGHT: 465g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell
exterior, high-density EPS polystyrene, Integrated
Koroyd co-polymer engineered core.

CERTIFICATION:

ANSI/ISEA Z89.1-2014 Type 1, Class E (20,000 Volts)

EN 12492:2012
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System)
PR4.2.3.(Chinstrap Retention System Strength <500N)

EN 397:2012+A1:2012
LD, MM, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against molten metal splashes (MM);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)



EN 50365:2002
PR 6.3.4, PR 6.3.5 Class 0, 1500 Vdc, 1000 Vac





PINNACLE EXO HI-VIZ

VENTED MULTI-IMPACT TESTED HELMET WITH INTEGRATED KORROYD & HI-VIZ STICKERS

ZPZK01HV



SIZE: 54/62cm

WEIGHT: 445g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior, high-density EPS polystyrene, Integrated Koroyd co-polymer engineered core.

CERTIFICATION:

EN12492:2012; All parts including;
PR4.2.1 (Shock absorption), PR4.1.3 (Chinstrap Retention System)
PR4.2.3. (Chinstrap Retention System Strength <500N)

EN 397:2012+ A1:2012;
LD, -40°C to +50°C. Resistance to lateral deformation (LD);
Protection against impacts at low temperatures (-40°C);
Protection against impacts at high temperatures (+50°C)



ACCESSORIES

PINNACLE VISORS

- ZPV01 (HALF FACE CLEAR)
- ZPV02 (HALF FACE SMOKE)
- ZPVF01 (FULL FACE CLEAR)
- ZPVF02 (FULL FACE SMOKE)

CERTIFICATION:

EN 166:2001
EN 166:2001 Personal eye protection. Specifications



ZERO HELMET BAG

ZHB



PINNACLE SUN VISOR & NECK PROTECTOR

ZPSNP01FL
(HI-VIZ YELLOW)

ZPSNP01BL
(BLACK)



PINNACLE HI-VIZ HELMET STICKERS

ZPHVS01
(LUMINESCENT REFLECTIVE)




MODEL	CODE	VENTED	INTEGRATED KORROYD	1000 Vac	20,000 V	EN12492	ANSI Z89.1	EN397
PINNACLE EXO VENTED	ZPZK01
PINNACLE EXO VOLT RATED	ZPZK02
PINNACLE EXO ANSI	ZPEA02

PINNACLE VIKO

Multi-impact rated helmet

European manufactured and certified to meet even the most stringent demands of the industrial market, the ZERO® Pinnacle VIKO range is easy to accessorize with easy to fit hearing protection, direct fit protective visor and lamp connection system.



FOUR POINT HARNESS SYSTEM

ACCESSORIES



HEADLAMP



VISOR



HEARING PROTECTION



HI VIZ DECALS



PINNACLE VIKO



VENTED INDUSTRIAL HELMET

ZPVH01



SIZE: 54/62cm

WEIGHT: 420g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior.

CERTIFICATION:

EN 397:2012 + A1:2012 (cl.5.1.1-cl.5.1.2-cl.5.2.4)



PINNACLE VIKO



INDUSTRIAL HELMET WITH ELECTRICAL PROTECTION

ZPVH02



SIZE: 54/62cm

WEIGHT: 430g

LIFESPAN: Up to 10 Years (+5 year shelf life)

MATERIAL: ABS Advanced Thermo Material Shell exterior.

CERTIFICATION:

EN 397:2012 + A1:2012 (cl.5.1.1-cl.5.1.2-cl.5.2.3-cl.5.2.4-cl.5.2.5), EN 50365:2002 (Class 0) 1000VAC, 1500VDC

EN50365:2002

PR 6.3.4, PR 6.3.5 Class 0 & 1 plants 1500 Vdc, 1000 Vac (Electrical insulation to 1500V dc, 1000V ac).




MODEL	CODE	VENTED	INTEGRATED KORROYD	1000 Vac	20,000 V	EN12492	ANSI Z89.1	EN397
PINNACLE VIKO VENTED	ZPVH01	•						•
PINNACLE VIKO VOLT RATED	ZPVH02			•				•



CHOOSING THE RIGHT HEAD PROTECTION

The task you plan to carry out will determine the type of head protection you require. If there is any risk of you falling from one level to another, a helmet that is multi-impact tested is the appropriate head protection.



HARD HAT TESTING

CROWN AND SIDE TESTING

MULTI-IMPACT TESTED PROTECTION

Hard hats are intended to reduce the forces of impact from a blow to the top of the head. Not only are multi-impact tested helmets designed and tested to reduce the force of an impact from a blow to the top of the head, they are also designed to reduce the forces from lateral impact coming from an off-centre, side or top of the head strike during a fall.

For work at height, it is essential that in the event of an uncontrolled fall the helmet is retained on the head. Selecting the correct helmet with multi-impact and penetration testing standards most appropriate to your working application is essential.

EN397:2012	ANSI /ISEA 289.1-2014 TYPE 1	EN 12492: 2012	ANSI /ISEA 289.1-2014 TYPE 2	
CROWN IMPACT TEST AS/NZS 1801:1997 EN 397:2021	IMPACT ENERGY TEST ANSI Z89.1-2014 TYPE 1	MULTI SIDE AND CROWN IMPACT TEST EN 12492: 2012	IMPACT ENERGY ATTENUATION TEST ANSI Z89.1-2014 TYPE 2	MULTI SIDE AND CROWN IMPACT TEST ANSI Z89.1-2014 TYPE 2
Protection from falling objects	Reducing the force of impacts to the top of head	Protect upper head against hazards during mountaineering activities	Reducing the force of impacts to the top or sides of head	

HELMET COLOURS

A colour collection that meets every environment



ZERO® PINNACLE BLACK



ZERO® PINNACLE BLUE



ZERO® PINNACLE GREEN



ZERO® PINNACLE RED



ZERO® PINNACLE ORANGE



ZERO® PINNACLE YELLOW



ZERO® PINNACLE WHITE

FLUO SHELL

For increased visibility



ZERO® PINNACLE FL YELLOW



ZERO® PINNACLE FL ORANGE

OPTIONAL COLOURS

Customizable designs to complement any brand or application (MOQ).



ZERO® PINNACLE BLACK / RED



ZERO® PINNACLE BLUE / ORANGE



ZERO® PINNACLE YELLOW / ORANGE



ZERO® PINNACLE WHITE / ORANGE



ZERO® PINNACLE WHITE



ZERO® PINNACLE BLACK



ZERO® PINNACLE ORANGE / RED



ZERO® PINNACLE HV YELLOW / BLUE



ZERO® PINNACLE GREY / ORANGE



ZERO® PINNACLE BLACK / GREEN



ZERO® PINNACLE HV YELLOW



ZERO® PINNACLE HV ORANGE

LUMINOUS & REFLECTIVE

For maximum visibility



ZERO® PINNACLE WHITE



ZERO® PINNACLE BLACK



ZERO® PINNACLE HV YELLOW



ZERO® PINNACLE HV ORANGE



ORA HIGH IMPACT VISOR ASSEMBLY

VA581020

A high impact clear visor moulded polycarbonate with anti-fog coating. Connects to Verishield ear protectors. Complete with brim.

STANDARDS: Tested to: AS/NZS: 1337.1:2010-A



VERISHIELD 100 SERIES EAR PROTECTORS

1035123-VS

Lightweight cushioned headband, Steel-wire construction with padded headband and precision micro adjustments designed for just the right fit around the ear.

RATING: Class 5



EOS II INTRINSICALLY SAFE TACTICAL HEADLAMP

EOS16BK

The durable EOS is a single long-throw Maxbright LED encased in a rugged, watertight housing, the EOS is up to any challenge. Four output modes (high, medium, low, and flash) allow the EOS to keep its brightness while the batteries remain at optimum levels.

LUMENS: 130 **BURN TIME:** 100 Hours

WEIGHT (G)	LAMP	WATER RESISTANT	BATTERIES
105g	1 Maxbright LED	IPX7	3x AAA



APEX HEADLAMP

APX16BK

The Apex incorporates a single regulated Maxbright LED plus four regulated Ultrabright LEDs. The Apex is capable of a powerful spot beam or a bright flood, and two switches make changing modes intuitive.

LUMENS: 350 **BURN TIME:** 12 Hours

WEIGHT (G)	LAMP	WATER RESISTANT	BATTERIES
279g	1 Maxbright LED 4 White Ultrabright LEDs	IPX7	4x AA



HELLBERG EAR PROTECTORS | CLASS 5

42002001 (MED-HIGH) 42003001 (HIGH-VERY HIGH)

The helmet mounted earmuffs are the ideal choice for any work that requires head and hearing protection.

STANDARD: EN352-3, AS/NZS 1270:2002



HELLBERG VISORS & ASSEMBLY

20930001 / VA20912-001

The clear polycarbonate visor is approved to medium impact and is suitable for applications such as grinding, construction work. The forestry assembly is suitable for forestry work and grass/bush trimming.

RATING: EN 166:2001, ANSI Z87.1-2003 (CLEAR VISOR)
EN 1731:2006, ANSI Z87.1-2003 (MESH VISOR)



QUAD TACTICAL HEADLAMP

QUADTACBK

The Quad is equipped with four Ultrabright LEDs that illuminate the darkest conditions with a wide flood beam. Featuring a molecularly bonded O-ring seal for waterproof durability the Quad has a low battery indicator, a separately moulded battery tray and high-grade materials.

LUMENS: 78 **BURN TIME:** 60.5 Hours

WEIGHT (G)	LAMP	WATER RESISTANT	BATTERIES
96g	4 Ultrabright LEDs	IPX7	3x AAA



REMIX HEADLAMP

RMX150PROBK

The Remix features an astounding 43h runtime on High and for preserving night vision it also features a cluster of red LEDs for close at hand tasks. Equipped with an asymmetrical single arm bracket, easily accessible battery door enclosure, and large push button switch.

LUMENS: 150 **BURN TIME:** 17 Hours

WEIGHT (G)	LAMP	WATER RESISTANT	BATTERIES
66g	1 Maxbright LED 3 Ultrabright LEDs	IPX4	1 CR123 Lithium



CLASS 5

SORDIN FORESTRY VISOR & EAR PROTECTOR ASSEMBLY

Designed for tough working conditions, The Ear protectors are suitable for high to very high noise levels.

VISOR: EN 1731:2006, ANSI Z87.1-2003 **EAR PROTECTORS:** AS/NZS 1270:2002



AMPShield ARC FLASH VISOR ASSEMBLY

AMP1-12-HTS

Rated ATPV 12 cal/cm². Standard shield coating features a non-permanent anti-fog coating on the interior. LeverLock® bracket attachment system for easy face shield replacement. Arc Flash PPE Category: 2

CERTIFICATION: NFPA 70E, ASTM F2178, ANSI Z87.1.



ADVANCED FALL PROTECTION

First choice for personal protection equipment by ZERO®



A DESIGN ETHOS TO CREATE A ZERO HARM ENVIRONMENT

Our equipment is the result of extensive global research, innovation and a design ethos to create a zero harm environment for the safety industry.

Our safety equipment is fast becoming known for advanced protection and best performance whilst representing outstanding value.

Always attentive to the needs of the industry, we are constantly developing new, innovative and ergonomic products that combine user comfort, precision engineering and strictest safety codes.





ABSEIL

Combining the worlds leading equipment for superior comfort

ZERO® ABSEIL COLLECTION



ZERO® combines the best of European design for a well balanced and extremely comfortable set of abseil PPE. Our equipment is built with the highest level of attention to detail to meet the abseil market.



ZERO® SUSPEND PRO ABSEIL HARNESS **HSP4678**



ZERO® PINNACLE ZERTEC HELMET **ZPZK01**



GIANT DESCENDER **ZH-0001**



DRUID PRO DESCENDER **2233**



TURBOCHEST ROPE GRAB **2256**



TURBOLOOP STEPPER **726**



TURBOHAND HAND DESCENDER **263401**



GOBLIN FALL ARRESTER **0999**



SPACECRAFT BAG **2790**



ZERO® CLIMBR LANYARD **LCZ02R5**



ZERO® TACTIX 10.5MM STATIC ROPE **ZT-10.5**



ZERO® SLING **ASP000W**



ZERO® CARABINERS

ZERO® FORESTRY & ARBORIST COLLECTION



Our range of forestry and arborist PPE is design to keep you safe in the most rugged conditions. The range is complimented with the ZERO® Multi-impact rated helmet for true protection.



ZERO® PINNACLE ZERTECK HELMET ZPK01



SORDIN MESH VISOR



SORDIN EAR MUFFS CLASSIC XLS



ZERO® STEELGUARD POSITIONING DEVICE WPSCRX3



ZERO® TREE TOP HARNESS HTP0468



ZERO® ALUMINIUM CLIMBING SPURS RCSP00A



ZERO® SAWMATE AY-053



ZERO® CAMBIUM SAVER RCC000W



ZERO® ROPE BAG ZRB



ZERO® TACTIX 11MM STATIC ROPE ZI-11




ZERO® SLING ASP000W



ZERO® CARABINERS



ZERO® TREETOP THROWBAG RCZ081



FORESTRY / ARBORIST

Designed to take on the harshest condition



ZERO

PINNACLE

ZERO

ZERO® CONSTRUCTION & RIGGING COLLECTION



Under or above ground, the ZERO® Construction and Rigging Collection gives you supreme protection. Our European manufactured PPE balances comfort with rigidity.



ZERO® SUPERIOR MULTI-PURPOSE HARNESS HSPD167



ZERO® PINNACLE ZERTEC HELMET ZPZK01



ZERO® TRADEMATE LANYARD LTZ0WX3



ZERO® SCAFFPRO LANYARD LSZ212X5



ZERO® BLOCKMAX FALL ARREST DEVICE FBR10C3



ZERO® RETRACTABLE WEBBING LANYARD WR-025



ZERO® KIT BAG ZKB



ZERO® TEMPORARY ROOF ANCHOR AAP000M



ZERO® TOOL LANYARD TLE115



ZERO® VENTURA LINGSTOP WITH ADJUSTER RV20RX3



ZERO® SLING ASP000W



ZERO® CARABINERS



ZERO® Z-LINE TEMPORARY STATIC LINE AZP00WX3





TALK TO US ABOUT CHOOSING THE RIGHT HEAD PROTECTION

zeroheightsafety.com



Reimagine your boundaries;
we'll get you there.



ZERO HEIGHT SAFETY LIMITED



This document is printed on an environmentally responsible paper produced using Elemental Chlorine Free pulp from responsible sources and manufactured under the strict ISO14001 Environmental Management System.

SWITZERLAND

Badenerstrasse 122,
5466 Kaiserstuhl,
Switzerland
sales.eu@zeroheightsafety.com

GERMANY (LOGISTICS)

c/o: Labodia,
Gewerbstrasse 8,
79801 Hohentengen AH
Germany

NEW ZEALAND

10 Holt Place,
Harewood, Christchurch 8053
New Zealand
sales@zeroheightsafety.com

zeroheightsafety.com